



# SEQUENCE LISTING

<110> Oppermann, Herman  
Kuberasampath, Thangavel  
Rueger, David  
Ozkaynak, Engin

<120> Osteogenic Devices

<130> STK-010C3

<140> US 10/671,317

<141> 2003-09-25

<150> US 09/956,582

<151> 2001-09-19

<150> US 09/074,299

<151> 1998-05-07

<150> US 08/417,071

<151> 1995-04-04

<150> US 08/145,812

<151> 1993-11-01

<150> US 07/995,345

<151> 1989-12-22

<150> US 07/315,342

<151> 1989-02-23

<150> US 07/232,630

<151> 1988-08-15

<150> US 07/179,406

<151> 1988-04-08

<160> 72

<170> PatentIn version 3.3

<210> 1

<211> 96

<212> PRT

<213> Artificial Sequence

<220>

<223> Biosynthetic Protein COP5

<400> 1

Leu Tyr Val Asp Phe Ser Asp Val Gly Trp Asp Asp Trp Ile Val Ala  
1 5 10 15

Pro Pro Gly Tyr Gln Ala Phe Tyr Cys His Gly Glu Cys Pro Phe Pro  
20 25 30

Leu Ala Asp His Phe Asn Ser Thr Asn His Ala Val Val Gln Thr Leu  
35 40 45

Val Asn Ser Val Asn Ser Lys Ile Pro Lys Ala Cys Cys Val Pro Thr  
50 55 60

Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu Asp Glu Asn Glu Lys Val  
65 70 75 80

Val Leu Lys Asn Tyr Gln Glu Met Val Val Glu Gly Cys Gly Cys Arg  
85 90 95

<210> 2  
<211> 96  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Biosynthetic protein COP7

<400> 2

Leu Tyr Val Asp Phe Ser Asp Val Gly Trp Asn Asp Trp Ile Val Ala  
1 5 10 15

Pro Pro Gly Tyr His Ala Phe Tyr Cys His Gly Glu Cys Pro Phe Pro  
20 25 30

Leu Ala Asp His Leu Asn Ser Thr Asn His Ala Val Val Gln Thr Leu  
35 40 45

Val Asn Ser Val Asn Ser Lys Ile Pro Lys Ala Cys Cys Val Pro Thr  
50 55 60

Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu Asp Glu Asn Glu Lys Val  
65 70 75 80

Val Leu Lys Asn Tyr Gln Glu Met Val Val Glu Gly Cys Gly Cys Arg  
85 90 95

<210> 3  
<211> 97  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> endochondral bone formation inducing protein

<220>

```

<221> misc_feature
<222> (2)..(2)
<223> wherein Xaa at position 2 can be any amino acid

<220>
<221> misc_feature
<222> (4)..(4)
<223> wherein Xaa at position 4 can be any amino acid

<220>
<221> misc_feature
<222> (6)..(6)
<223> wherein Xaa at position 6 can be any amino acid

<220>
<221> misc_feature
<222> (8)..(8)
<223> wherein Xaa at postion 8 can be any amino acid

<220>
<221> misc_feature
<222> (11)..(11)
<223> wherein Xaa at position 11 can be any amino acid

<220>
<221> misc_feature
<222> (12)..(12)
<223> wherein Xaa at position 12 can be any amino acid

<220>
<221> misc_feature
<222> (14)..(14)
<223> wherein Xaa at position 14 can be any amino acid

<220>
<221> misc_feature
<222> (15)..(15)
<223> wherein Xaa at position 15 can be any amino acid

<220>
<221> misc_feature
<222> (16)..(16)
<223> wherein Xaa at position 16 can be any amino acid

<220>
<221> misc_feature
<222> (18)..(18)
<223> wherein Xaa at position 18 can be any amino acid

<220>
<221> misc_feature
<222> (20)..(20)
<223> wherein Xaa at position 20 can be any amino acid

<220>
<221> misc_feature
<222> (21)..(21)
<223> wherein Xaa at position 21 can be any amino acid

<220>

```

```

<221> misc_feature
<222> (23)..(23)
<223> wherein Xaa at position 23 can be any amino acid

<220>
<221> misc_feature
<222> (26)..(26)
<223> wherein Xaa at position 26 can be any amino acid

<220>
<221> misc_feature
<222> (28)..(28)
<223> wherein Xaa at position 28 can be any amino acid

<220>
<221> misc_feature
<222> (30)..(31)
<223> wherein Xaa at positions 30-31 can be any amino acid

<220>
<221> misc_feature
<222> (33)..(40)
<223> wherein Xaa at positions 33-40 can be any amino acid

<220>
<221> misc_feature
<222> (44)..(45)
<223> wherein Xaa at position 44-45 can be any amino acid

<220>
<221> misc_feature
<222> (47)..(48)
<223> wherein Xaa at position 47-48 can be any amino acid

<220>
<221> misc_feature
<222> (50)..(52)
<223> wherein Xaa at position 50-52 can be any amino acid

<220>
<221> misc_feature
<222> (54)..(57)
<223> wherein Xaa at position 54-57 can be any amino acid

<220>
<221> misc_feature
<222> (59)..(60)
<223> wherein Xaa at positions 59-60 can be any amino acid

<220>
<221> misc_feature
<222> (63)..(63)
<223> wherein Xaa at position 63 can be any amino acid

<220>
<221> misc_feature
<222> (65)..(72)
<223> wherein Xaa at position 65-72 can be any amino acid

<220>

```

<221> misc\_feature  
 <222> (74)..(74)  
 <223> Xaa can be any naturally occurring amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (75)..(80)  
 <223> wherein Xaa at position 75-80 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (82)..(82)  
 <223> wherein Xaa at position 82 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (84)..(85)  
 <223> wherein Xaa at positions 84-85 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (87)..(88)  
 <223> wherein Xaa at positions 87-88 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (90)..(90)  
 <223> wherein Xaa at position 90 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (92)..(93)  
 <223> wherein Xaa at positions 92-93 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (95)..(95)  
 <223> wherein Xaa at position 95 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (97)..(97)  
 <223> wherein Xaa at position 97 can be any amino acid  
  
 <400> 3

Leu Xaa Val Xaa Phe Xaa Asp Xaa Gly Trp Xaa Xaa Trp Xaa Xaa Xaa  
 1 5 10 15

Pro Xaa Gly Xaa Xaa Ala Xaa Tyr Cys Xaa Gly Xaa Cys Xaa Xaa Pro  
 20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Asn His Ala Xaa Xaa Gln Xaa Xaa  
 35 40 45

Val Xaa Xaa Xaa Asn Xaa Xaa Xaa Xaa Pro Xaa Xaa Cys Cys Xaa Pro  
 50 55 60

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Leu Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
65 70 75 80

Val Xaa Leu Xaa Xaa Tyr Xaa Xaa Met Xaa Val Xaa Xaa Cys Xaa Cys  
85 90 95

Xaa

<210> 4  
<211> 102  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> endochondral bone formation inducing protein

<220>  
<221> misc\_feature  
<222> (2)..(5)  
<223> wherein Xaa at positions 2-5 can be any amino acid

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> wherein Xaa at position 7 can be any amino acid

<220>  
<221> misc\_feature  
<222> (9)..(9)  
<223> wherein Xaa at position 9 can be any amino acid

<220>  
<221> misc\_feature  
<222> (11)..(11)  
<223> wherein Xaa at position 11 can be any amino acid

<220>  
<221> misc\_feature  
<222> (13)..(13)  
<223> wherein Xaa at position 13 can be any amino acid

<220>  
<221> misc\_feature  
<222> (16)..(17)  
<223> wherein Xaa at position 16-17 can be any amino acid

<220>  
<221> misc\_feature  
<222> (19)..(21)  
<223> wherein Xaa at position 19-21 can be any amino acid

<220>  
<221> misc\_feature

<222> (23)..(23)  
 <223> wherein Xaa at position 23 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (25)..(26)  
 <223> wherein Xaa at position 25-26 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (28)..(28)  
 <223> wherein Xaa at position 28 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (31)..(31)  
 <223> wherein Xaa at position 31 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (33)..(33)  
 <223> wherein Xaa at position 33 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (35)..(36)  
 <223> wherein Xaa at positions 35-36 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (38)..(45)  
 <223> wherein Xaa at positions 38-45 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (49)..(50)  
 <223> wherein Xaa at positions 49-50 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (52)..(53)  
 <223> wherein Xaa at positions 52-53 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (55)..(56)  
 <223> Xaa can be any naturally occurring amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (57)..(57)  
 <223> wherein Xaa at position 57 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (59)..(62)  
 <223> wherein Xaa at positions 59-62 can be any amino acid  
  
 <220>  
 <221> misc\_feature

<222> (64)..(65)  
 <223> wherein Xaa at positions 64-65 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (68)..(68)  
 <223> wherein Xaa at position 68 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (70)..(77)  
 <223> wherein Xaa at positions 70-77 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (79)..(85)  
 <223> wherein Xaa at positions 79-85 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (87)..(87)  
 <223> wherein Xaa at position 87 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (89)..(90)  
 <223> wherein Xaa at position 89-90 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (92)..(92)  
 <223> Xaa can be any naturally occurring amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (93)..(93)  
 <223> wherein Xaa at position 93 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (95)..(95)  
 <223> wherein Xaa at position 95 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (97)..(98)  
 <223> wherein Xaa at positions 97-98 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (100)..(100)  
 <223> wherein Xaa at position 100 can be any amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (102)..(102)  
 <223> wherein Xaa at position 102 can be any amino acid  
  
 <400> 4



Cys Xaa Xaa Xaa Xaa Leu Xaa Val Xaa Phe Xaa Asp Xaa Gly Trp Xaa  
 1 5 10 15

Xaa Trp Xaa Xaa Xaa Pro Xaa Gly Xaa Xaa Ala Xaa Tyr Cys Xaa Gly  
 20 25 30

Xaa Cys Xaa Xaa Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Asn His Ala  
 35 40 45

Xaa Xaa Gln Xaa Xaa Val Xaa Xaa Xaa Asn Xaa Xaa Xaa Xaa Pro Xaa  
 50 55 60

Xaa Cys Cys Xaa Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Leu Xaa Xaa  
 65 70 75 80

Xaa Xaa Xaa Xaa Xaa Val Xaa Leu Xaa Xaa Tyr Xaa Xaa Met Xaa Val  
 85 90 95

Xaa Xaa Cys Xaa Cys Xaa  
 100

<210> 5  
 <211> 97  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> endochondral bone formation inducing protein

<220>  
 <221> misc\_feature  
 <222> (2)..(2)  
 <223> wherein Xaa at position 2 is a tyrosine, lysine or phenylalanine

<220>  
 <221> misc\_feature  
 <222> (4)..(4)  
 <223> wherein Xaa at position 4 is an aspartic acid, a a serine or a glutamic acid

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> wherein Xaa at position 6 is an arginine, a serine, a lysine or an alanine

<220>  
 <221> misc\_feature  
 <222> (8)..(8)  
 <223> wherein Xaa at position 8 is a valine, a leucine or an isoleucine

<220>

<221> misc\_feature  
 <222> (11)..(11)  
 <223> wherein Xaa at position 11 is an asparagine, a glutamine, an aspartic acid or a serine  
  
 <220>  
 <221> misc\_feature  
 <222> (12)..(12)  
 <223> wherein Xaa at position 12 is a aspartic acid, glutamic acid or an asparagine  
  
 <220>  
 <221> misc\_feature  
 <222> (14)..(14)  
 <223> wherein Xaa at position 14 is an isoleucine or a valine  
  
 <220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> wherein Xaa at position 15 is an isoleucine or a valine  
  
 <220>  
 <221> misc\_feature  
 <222> (16)..(16)  
 <223> wherein Xaa at position 16 is an alanine or a serine  
  
 <220>  
 <221> misc\_feature  
 <222> (18)..(18)  
 <223> wherein Xaa at position 18 is a proline, a glutamic acid, a leucine or a lysine  
  
 <220>  
 <221> misc\_feature  
 <222> (20)..(20)  
 <223> wherein Xaa at position 20 is a tyrosine or a phenylalanine  
  
 <220>  
 <221> misc\_feature  
 <222> (21)..(21)  
 <223> wherein Xaa at position 21 is a histidine or a glutamic acid  
  
 <220>  
 <221> misc\_feature  
 <222> (23)..(23)  
 <223> wherein Xaa at position 23 is a phenylalanine, a tyrosine or an asparagine  
  
 <220>  
 <221> misc\_feature  
 <222> (26)..(26)  
 <223> wherein Xaa at position 26 is a histidine, a glutamic acid or a serine  
  
 <220>  
 <221> misc\_feature  
 <222> (28)..(28)  
 <223> wherein Xaa at position 28 is a glutamic acid or an alanine  
  
 <220>

<221> misc\_feature  
 <222> (30)..(30)  
 <223> wherein Xaa at position 30 is a proline, an alanine or a glutamine

<220>  
 <221> misc\_feature  
 <222> (31)..(31)  
 <223> wherein Xaa at position 31 is a phenylalanine or a tyrosine

<220>  
 <221> misc\_feature  
 <222> (33)..(33)  
 <223> wherein Xaa at position 33 is a leucine, a methionine or an isoleucine

<220>  
 <221> misc\_feature  
 <222> (34)..(34)  
 <223> wherein Xaa at position 34 is an alanine, a proline or a threonine

<220>  
 <221> misc\_feature  
 <222> (35)..(35)  
 <223> wherein Xaa at position 35 is an aspartic acid, a glutamine or a lysine

<220>  
 <221> misc\_feature  
 <222> (36)..(36)  
 <223> wherein Xaa at position 36 is a histidine or a serine

<220>  
 <221> misc\_feature  
 <222> (37)..(37)  
 <223> wherein Xaa at position 37 is a leucine, a methionine or a phenylalanine

<220>  
 <221> misc\_feature  
 <222> (38)..(38)  
 <223> wherein Xaa at position 38 is an asparagine or a lysine

<220>  
 <221> misc\_feature  
 <222> (39)..(39)  
 <223> wherein Xaa at position 39 is a serine, an alanine or a proline

<220>  
 <221> misc\_feature  
 <222> (40)..(40)  
 <223> wherein Xaa at position 40 is a threonine or a serine

<220>  
 <221> misc\_feature  
 <222> (44)..(44)  
 <223> wherein Xaa at position 44 is an isoleucine, a valine or a threonine

<220>  
 <221> misc\_feature  
 <222> (45)..(45)  
 <223> wherein Xaa at position 45 is a valine, an isoleucine or a leucine

<220>  
 <221> misc\_feature  
 <222> (47)..(47)  
 <223> wherein Xaa at position 47 is a threonine or a serine

<220>  
 <221> misc\_feature  
 <222> (48)..(48)  
 <223> wherein Xaa at position 48 is a leucine or an isoleucine

<220>  
 <221> misc\_feature  
 <222> (50)..(50)  
 <223> wherein Xaa at position 50 is an asparagine, a histidine or an arginine

<220>  
 <221> misc\_feature  
 <222> (51)..(51)  
 <223> wherein Xaa at position 51 is a serine, an alanine, a phenylalanine or an asparagine

<220>  
 <221> misc\_feature  
 <222> (52)..(52)  
 <223> wherein Xaa at position 52 is a valine or an isoleucine

<220>  
 <221> misc\_feature  
 <222> (54)..(54)  
 <223> wherein Xaa at position 54 is a proline or a serine

<220>  
 <221> misc\_feature  
 <222> (55)..(55)  
 <223> wherein Xaa at position 55 is a glycine or a glutamic acid

<220>  
 <221> misc\_feature  
 <222> (56)..(56)  
 <223> wherein Xaa at position 56 is a lysine, a glutamine, a threonine or a serine

<220>  
 <221> misc\_feature  
 <222> (57)..(57)  
 <223> wherein Xaa at position 57 is an isoleucine or a leucine

<220>  
 <221> misc\_feature  
 <222> (59)..(59)  
 <223> wherein Xaa at position 59 is a lysine or a glutamic acid

<220>

```

<221> misc_feature
<222> (60)..(60)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (63)..(63)
<223> wherein Xaa at position 63 is a valine or an alanine

<220>
<221> misc_feature
<222> (66)..(66)
<223> wherein Xaa at position 66 is a glutamic acid or a lysine

<220>
<221> misc_feature
<222> (67)..(67)
<223> wherein Xaa at position 67 is a lysine or a glutamine

<220>
<221> misc_feature
<222> (68)..(68)
<223> wherein Xaa at position 68 is a serine, a methionine or an
aspartic acid

<220>
<221> misc_feature
<222> (69)..(69)
<223> wherein Xaa at position 69 is an alanine, an asparagine or a
proline

<220>
<221> misc_feature
<222> (70)..(70)
<223> wherein Xaa at position 70 is an isoleucine, a serine or a valine

<220>
<221> misc_feature
<222> (71)..(71)
<223> wherein Xaa at position 71 is a serine or a leucine

<220>
<221> misc_feature
<222> (72)..(72)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (73)..(73)
<223> wherein Xaa at position 73 is a leucine or an isoleucine

<220>
<221> misc_feature
<222> (75)..(75)
<223> wherein Xaa at position 75 is a leucine, a phenylalanine or a
tyrosine

<220>
<221> misc_feature
<222> (76)..(76)

```

<223> wherein Xaa at position 76 is an aspartic acid or a phenylalanine

<220>

<221> misc\_feature

<222> (77)..(77)

<223> wherein Xaa at position 77 is a glutamic acid or an asparagine

<220>

<221> misc\_feature

<222> (78)..(78)

<223> wherein Xaa at position 78 is an asparagine or a glutamic acid

<220>

<221> misc\_feature

<222> (79)..(79)

<223> wherein Xaa at position 79 is a glutamine, a glutamic acid, a serine or a lysine

<220>

<221> misc\_feature

<222> (80)..(80)

<223> wherein Xaa at position 80 is an asparagine or an aspartic acid

<220>

<221> misc\_feature

<222> (81)..(81)

<223> wherein Xaa at position 81 is a valine or a lysine

<220>

<221> misc\_feature

<222> (83)..(83)

<223> wherein Xaa at position 83 is a leucine or an isoleucine

<220>

<221> misc\_feature

<222> (85)..(85)

<223> wherein Xaa at position 85 is an asparagine, an arginine or a histidine

<220>

<221> misc\_feature

<222> (86)..(86)

<223> wherein Xaa at position 86 is a tyrosine or a lysine

<220>

<221> misc\_feature

<222> (87)..(87)

<223> wherein Xaa at position 87 is a glutamine, an arginine or a proline

<220>

<221> misc\_feature

<222> (88)..(88)

<223> wherein Xaa at position 88 is an aspartic acid, a glutamic acid or an asparagine

<220>

<221> misc\_feature

<222> (89)..(89)

<223> wherein Xaa at position 89 is a methionine or a glutamic acid

```

<220>
<221> misc_feature
<222> (91)..(91)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (92)..(92)
<223> wherein Xaa at position 92 is a glutamic acid or an arginine

<220>
<221> misc_feature
<222> (93)..(93)
<223> wherein Xaa at position 93 is a glycine, an aspartic acid, a
serine or a glutamic acid

- <220>
<221> misc_feature
<222> (94)..(94)
<223> wherein Xaa at position 94 is a cysteine or an alanine

<220>
<221> misc_feature
<222> (95)..(95)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (96)..(96)
<223> wherein xaa at position 96 is a cysteine or a histidine

<400> 5

Leu Xaa Val Xaa Phe Xaa Asp Xaa Gly Trp Xaa Xaa Trp Xaa Xaa Xaa
1          5          10          15

Pro Xaa Gly Xaa Xaa Ala Xaa Tyr Cys Xaa Gly Xaa Cys Xaa Xaa Pro
20          25          30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Asn His Ala Xaa Xaa Gln Xaa Xaa
35          40          45

Val Xaa Xaa Xaa Asn Xaa Xaa Xaa Xaa Pro Xaa Xaa Cys Cys Xaa Pro
50          55          60

Thr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Xaa Xaa
65          70          75          80

Xaa Val Xaa Lys Xaa Xaa Xaa Xaa Xaa Val Xaa Xaa Xaa Gly Xaa Arg
85          90          95

His

```

<210> 6  
 <211> 101  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> endochondral bone formation inducing protein

<220>  
 <221> misc\_feature  
 <222> (2)..(2)  
 <223> wherein Xaa at position 2 is a lysine or an arginine

<220>  
 <221> misc\_feature  
 <222> (3)..(3)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (4)..(4)  
 <223> wherein Xaa at position 4 is a histidine, an arginine or a lysine

<220>  
 <221> misc\_feature  
 <222> (5)..(5)  
 <223> wherein Xaa at position 5 is a proline, a serine, a glutamic acid or a glutamine

<220>  
 <221> misc\_feature  
 <222> (7)..(7)  
 <223> wherein Xaa at position 7 is a tyrosine, a lysine or a phenylalanine

<220>  
 <221> misc\_feature  
 <222> (9)..(9)  
 <223> wherein Xaa at position 9 is an aspartic acid, a serine or a glutamic acid

<220>  
 <221> misc\_feature  
 <222> (10)..(10)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (11)..(11)  
 <223> wherein Xaa at position 11 is an arginine a serine, a lysine or an alanine

<220>  
 <221> misc\_feature  
 <222> (12)..(12)  
 <223> Xaa can be any naturally occurring amino acid



<220>  
 <221> misc\_feature  
 <222> (13)..(13)  
 <223> wherein Xaa at position 13 is a valine, a leucine or an  
 isoleucine

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (16)..(16)  
 <223> wherein Xaa at position 16 is an asparagine, a glutamine, an  
 aspartic acid or a serine

<220>  
 <221> misc\_feature  
 <222> (17)..(17)  
 <223> wherein Xaa at position 17 is an aspartic acid, a glutamic acid  
 or an asparagine

<220>  
 <221> misc\_feature  
 <222> (18)..(18)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (19)..(19)  
 <223> wherein Xaa at position 19 is an isoleucine or a valine

<220>  
 <221> misc\_feature  
 <222> (20)..(20)  
 <223> wherein Xaa at position 20 is a valine or an isoleucine

<220>  
 <221> misc\_feature  
 <222> (21)..(21)  
 <223> wherein Xaa at position 21 is an alanine or a serine

<220>  
 <221> misc\_feature  
 <222> (22)..(22)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (23)..(23)  
 <223> wherein Xaa at position 23 is a proline, a glutamic acid, a  
 leucine or a lysine

<220>  
 <221> misc\_feature  
 <222> (24)..(24)  
 <223> Xaa can be any naturally occurring amino acid

<220>

<221> misc\_feature  
 <222> (25)..(25)  
 <223> wherein Xaa at position 25 is a tyrosine or a phenylalanine

<220>  
 <221> misc\_feature  
 <222> (26)..(26)  
 <223> wherein Xaa at position 26 is a histidine or an aspartic acid

<220>  
 <221> misc\_feature  
 <222> (27)..(27)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (28)..(28)  
 <223> wherein Xaa at position 28 is a phenylalanine, a tyrosine or an asparagine

<220>  
 <221> misc\_feature  
 <222> (30)..(30)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (31)..(31)  
 <223> wherein Xaa at position 31 is a histidine, a glutamic acid or a serine

<220>  
 <221> misc\_feature  
 <222> (32)..(32)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (33)..(33)  
 <223> wherein Xaa at position 33 is a glutamic acid or an alanine

<220>  
 <221> misc\_feature  
 <222> (34)..(34)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (35)..(35)  
 <223> wherein Xaa at position 35 is a proline, a glutamine or an alanine

<220>  
 <221> misc\_feature  
 <222> (36)..(36)  
 <223> wherein Xaa at position 36 is a phenylalanine or a tyrosine

<220>  
 <221> misc\_feature  
 <222> (37)..(37)

<223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (38)..(38)  
 <223> wherein Xaa at position 38 is a leucine, a methionine or an isoleucine

<220>  
 <221> misc\_feature  
 <222> (39)..(39)  
 <223> wherein Xaa at position 39 is an alanine, a proline or a threonine

<220>  
 <221> misc\_feature  
 <222> (40)..(40)  
 <223> wherein Xaa at position 40 is an aspartic acid, a glutamic acid or a lysine

<220>  
 <221> misc\_feature  
 <222> (41)..(41)  
 <223> wherein Xaa at position 41 is a histidine or a serine

<220>  
 <221> misc\_feature  
 <222> (42)..(42)  
 <223> wherein Xaa at position 42 is a leucine, a methionine or a phenylalanine

<220>  
 <221> misc\_feature  
 <222> (43)..(43)  
 <223> wherein Xaa at position 43 is an asparagine or a lysine

<220>  
 <221> misc\_feature  
 <222> (44)..(44)  
 <223> wherein Xaa at position 44 is a serine, an alanine or a proline

<220>  
 <221> misc\_feature  
 <222> (45)..(45)  
 <223> wherein Xaa at position 45 is a threonine or a serine

<220>  
 <221> misc\_feature  
 <222> (48)..(48)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (49)..(49)  
 <223> wherein Xaa at position 49 is an isoleucine, a valine or a threonine

<220>  
 <221> misc\_feature  
 <222> (50)..(50)

<223> wherein Xaa at position 50 is a valine, an isoleucine or a leucine  
 <220>  
 <221> misc\_feature  
 <222> (51)..(51)  
 <223> Xaa can be any naturally occurring amino acid  
 <220>  
 <221> misc\_feature  
 <222> (52)..(52)  
 <223> wherein Xaa at position 52 is a threonine or a serine  
 <220>  
 <221> misc\_feature  
 <222> (53)..(53)  
 <223> wherein Xaa at position 53 is a leucine or a isoleucine  
 <220>  
 <221> misc\_feature  
 <222> (54)..(54)  
 <223> Xaa can be any naturally occurring amino acid  
 <220>  
 <221> misc\_feature  
 <222> (55)..(55)  
 <223> wherein Xaa at position 55 is an asparagine, a histidine or an arginine  
 <220>  
 <221> misc\_feature  
 <222> (56)..(56)  
 <223> wherein Xaa at position 56 is a serine, an alanine, a phenylalanine or an asparagine  
 <220>  
 <221> misc\_feature  
 <222> (57)..(57)  
 <223> wherein Xaa at position 57 is a valine or an isoleucine  
 <220>  
 <221> misc\_feature  
 <222> (58)..(58)  
 <223> Xaa can be any naturally occurring amino acid  
 <220>  
 <221> misc\_feature  
 <222> (59)..(59)  
 <223> wherein Xaa at position 59 is a serine or a proline  
 <220>  
 <221> misc\_feature  
 <222> (60)..(60)  
 <223> wherein Xaa at position 60 is a glycine or a glutamic acid  
 <220>  
 <221> misc\_feature  
 <222> (61)..(61)  
 <223> wherein Xaa at position 61 is a lysine, a glutamine, a threonine or a serine

<220>  
 <221> misc\_feature  
 <222> (62)..(62)  
 <223> wherein Xaa at position 62 is an isoleucine or a valine

<220>  
 <221> misc\_feature  
 <222> (63)..(63)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (64)..(64)  
 <223> wherein Xaa at position 64 is a lysine or a glutamic acid

<220>  
 <221> misc\_feature  
 <222> (65)..(65)  
 <223> wherein Xaa at position 65 is an alanine, a proline or a serine

<220>  
 <221> misc\_feature  
 <222> (67)..(67)  
 <223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (68)..(68)  
 <223> wherein Xaa at position 68 is a valine or an alanine

<220>  
 <221> misc\_feature  
 <222> (70)..(70)  
 <223> wherein Xaa at position 70 is a threonine or a glutamic acid

<220>  
 <221> misc\_feature  
 <222> (71)..(71)  
 <223> wherein Xaa at position 71 is a glutamic acid, a glutamine or a lysine

<220>  
 <221> misc\_feature  
 <222> (72)..(72)  
 <223> wherein Xaa at position 72 is a leucine or a methionine

<220>  
 <221> misc\_feature  
 <222> (73)..(73)  
 <223> wherein Xaa at position 73 is a serine, an asparagine or an aspartic acid

<220>  
 <221> misc\_feature  
 <222> (74)..(74)  
 <223> wherein Xaa at position 74 is an alanine, a serine or a proline

<220>  
 <221> misc\_feature

<222> (75)..(75)  
 <223> wherein Xaa at position 75 is an isoleucine, a leucine or a valine  
  
 <220>  
 <221> misc\_feature  
 <222> (76)..(76)  
 <223> wherein Xaa at position 76 is a serine or an alanine  
  
 <220>  
 <221> misc\_feature  
 <222> (77)..(77)  
 <223> wherein Xaa at position 77 is a methionine, a valine or an isoleucine  
  
 <220>  
 <221> misc\_feature  
 <222> (79)..(79)  
 <223> wherein Xaa at position 79 is a phenylalanine or a tyrosine  
  
 <220>  
 <221> misc\_feature  
 <222> (80)..(80)  
 <223> wherein Xaa at position 80 is a leucine, a tyrosine or a phenylalanine  
  
 <220>  
 <221> misc\_feature  
 <222> (81)..(81)  
 <223> wherein Xaa at position 81 is an aspartic acid or an asparagine  
  
 <220>  
 <221> misc\_feature  
 <222> (82)..(82)  
 <223> wherein Xaa at position 82 is a glutamic acid, an asparagine or an aspartic acid  
  
 <220>  
 <221> misc\_feature  
 <222> (83)..(83)  
 <223> wherein Xaa at position 83 is a glutamine or an asparagine  
  
 <220>  
 <221> misc\_feature  
 <222> (84)..(84)  
 <223> wherein Xaa at position 84 is a glutamic acid, a glutamine, a serine or a lysine  
  
 <220>  
 <221> misc\_feature  
 <222> (85)..(85)  
 <223> wherein Xaa at position 85 is an asparagine or a lysine  
  
 <220>  
 <221> misc\_feature  
 <222> (87)..(87)  
 <223> wherein Xaa at position 87 is a leucine or an isoleucine  
  
 <220>  
 <221> misc\_feature

<222> (89)..(89)  
 <223> wherein Xaa at position 89 is a lysine or an arginine  
  
 <220>  
 <221> misc\_feature  
 <222> (90)..(90)  
 <223> wherein Xaa at position 90 is an asparagine, a lysine or a histidine  
  
 <220>  
 <221> misc\_feature  
 <222> (91)..(91)  
 <223> Xaa can be any naturally occurring amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (92)..(92)  
 <223> wherein Xaa at position 92 is a glutamine, a glutamic acid, an arginine or a proline  
  
 <220>  
 <221> misc\_feature  
 <222> (93)..(93)  
 <223> wherein Xaa at position 93 is an aspartic acid, a glutamic acid or an asparagine  
  
 <220>  
 <221> misc\_feature  
 <222> (95)..(95)  
 <223> wherein Xaa at position 95 is a valine or a threonine  
  
 <220>  
 <221> misc\_feature  
 <222> (96)..(96)  
 <223> Xaa can be any naturally occurring amino acid  
  
 <220>  
 <221> misc\_feature  
 <222> (97)..(97)  
 <223> wherein Xaa at position 97 is a glutamic acid, an aspartic acid or an arginine  
  
 <220>  
 <221> misc\_feature  
 <222> (98)..(98)  
 <223> wherein Xaa at position 98 is a glycine, an alanine, a serine or a glutamic acid  
  
 <220>  
 <221> misc\_feature  
 <222> (100)..(100)  
 <223> wherein Xaa at position 100 is a glycine or a histidine  
  
 <220>  
 <221> misc\_feature  
 <222> (102)..(102)  
 <223> wherein Xaa at position 102 is an arginine or a histidine  
  
 <400> 6

Cys Xaa Xaa Xaa Xaa Leu Xaa Asp Phe Xaa Asp Xaa Gly Trp Xaa Xaa  
 1 5 10 15

Trp Xaa Xaa Xaa Pro Xaa Gly Xaa Xaa Ala Xaa Tyr Cys Xaa Gly Xaa  
 20 25 30

Cys Xaa Xaa Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Asn His Ala Xaa  
 35 40 45

Xaa Gln Xaa Xaa Val Xaa Xaa Xaa Asn Xaa Xaa Xaa Xaa Pro Xaa Xaa  
 50 55 60

Cys Cys Xaa Pro Thr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr Xaa Xaa  
 65 70 75 80

Xaa Xaa Xaa Xaa Xaa Val Xaa Lys Xaa Xaa Xaa Xaa Xaa Val Xaa Xaa  
 85 90 95

Xaa Xaa Gly Xaa Arg  
 100

<210> 7  
 <211> 102  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Vgl protein sequence with osteogenic activity  
 <400> 7

Cys Lys Lys Arg His Leu Tyr Val Glu Phe Lys Asp Val Gly Trp Gln  
 1 5 10 15

Asn Trp Val Ile Ala Pro Gln Gly Tyr Met Ala Asn Tyr Cys Tyr Gly  
 20 25 30

Glu Cys Pro Tyr Pro Leu Thr Glu Ile Leu Asn Gly Ser Asn His Ala  
 35 40 45

Ile Leu Gln Thr Leu Val His Ser Ile Glu Pro Glu Asp Ile Pro Leu  
 50 55 60

Pro Cys Cys Val Pro Thr Lys Met Ser Pro Ile Ser Met Leu Phe Tyr  
 65 70 75 80

Asp Asn Asn Asp Asn Val Val Leu Arg His Tyr Glu Asn Met Ala Val  
 85 90 95



Asp Glu Cys Gly Cys Arg  
100

<210> 8  
<211> 102  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> DPP protein sequence with osteogenic activity

<400> 8

Cys Arg Arg His Ser Leu Tyr Val Asp Phe Ser Asp Val Gly Trp Asp  
1 5 10 15

Asp Trp Ile Val Ala Pro Leu Gly Tyr Asp Ala Tyr Tyr Cys His Gly  
20 25 30

Lys Cys Pro Phe Pro Leu Ala Asp His Phe Asn Ser Thr Asn His Ala  
35 40 45

Val Val Gln Thr Leu Val Asn Asn Asn Pro Gly Lys Val Pro Lys  
50 55 60

Ala Cys Cys Val Pro Thr Gln Leu Asp Ser Val Ala Met Leu Tyr Leu  
65 70 75 80

Asn Asp Gln Ser Thr Val Val Leu Lys Asn Tyr Gln Glu Met Thr Val  
85 90 95

Val Gly Cys Gly Cys Arg  
100

<210> 9  
<211> 107  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> OP1 protein sequence with osteogenic activity

<400> 9

His Gln Arg Gln Ala Cys Lys Lys His Glu Leu Tyr Val Ser Phe Arg  
1 5 10 15

Asp Leu Gly Trp Gln Asp Trp Ile Ile Ala Pro Glu Gly Tyr Ala Ala  
20 25 30

Tyr Tyr Cys Glu Gly Glu Cys Ala Phe Pro Leu Asn Ser Tyr Met Asn  
35 40 45

Ala Thr Asn His Ala Ile Val Gln Thr Leu Val His Phe Ile Asn Pro  
50 55 60

Glu Thr Val Pro Lys Pro Cys Cys Ala Pro Thr Gln Leu Asn Ala Ile  
65 70 75 80

Ser Val Leu Tyr Phe Asp Asp Ser Ser Asn Val Ile Leu Lys Lys Tyr  
85 90 95

Arg Asn Met Val Val Arg Ala Cys Gly Cys His  
100 105

<210> 10  
<211> 103  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> CBP-2a protein sequence with osteogenic activity  
<400> 10

Cys Lys Arg His Pro Leu Tyr Val Asp Phe Ser Asp Val Gly Trp Asn  
1 5 10 15

Asp Trp Ile Val Ala Pro Pro Gly Tyr His Ala Phe Tyr Cys His Gly  
20 25 30

Glu Cys Pro Phe Pro Leu Ala Asp His Leu Asn Ser Thr Asn His Ala  
35 40 45

Ile Val Gln Thr Leu Val Asn Ser Val Asn Ser Lys Ile Pro Lys Ala  
50 55 60

Cys Cys Val Pro Thr Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu Tyr  
65 70 75 80

Leu Asp Glu Asn Glu Lys Val Val Leu Lys Asn Tyr Gln Asp Met Val  
85 90 95

Val Glu Gly Cys Gly Cys Arg  
100

<210> 11  
<211> 100  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> CBMP-2b protein sequence with osteogenic activity

<400> 11

Cys Arg Arg His Ser Leu Tyr Val Asp Phe Ser Asp Val Gly Trp Asn  
1 5 10 15

Asp Trp Ile Val Ala Pro Pro Gly Tyr Gln Ala Phe Tyr Cys His Gly  
20 25 30

Asp Cys Pro Phe Pro Leu Ala Asp His Leu Asn Ser Thr Asn His Ala  
35 40 45

Ile Val Gln Thr Leu Val Asn Ser Val Asn Ser Ile Pro Lys Ala Cys  
50 55 60

Cys Val Pro Thr Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu Asp Glu  
65 70 75 80

Tyr Asp Lys Val Val Leu Lys Asn Tyr Gln Glu Met Val Val Glu Gly  
85 90 95

Cys Gly Cys Arg  
100

<210> 12  
<211> 103  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> CBMP-3

<400> 12

Cys Ala Arg Arg Tyr Leu Lys Val Asp Phe Ala Asp Ile Gly Trp Ser  
1 5 10 15

Glu Trp Ile Ile Ser Pro Lys Ser Phe Asp Ala Tyr Tyr Cys Ser Gly  
20 25 30

Ala Cys Gln Phe Pro Met Pro Lys Ser Leu Lys Pro Ser Asn His Ala  
35 40 45

Thr Ile Gln Ser Ile Val Arg Ala Val Gly Val Val Pro Gly Ile Pro  
50 55 60

Glu Pro Cys Cys Val Pro Glu Lys Met Ser Ser Leu Ser Ile Leu Phe  
65 70 75 80

Phe Asp Glu Asn Lys Asn Val Val Leu Lys Val Tyr Pro Asn Met Thr  
85 90 95

Val Glu Ser Cys Ala Cys Arg  
100

<210> 13  
<211> 98  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> COP1

<400> 13

Leu Tyr Val Asp Phe Gln Arg Asp Val Gly Trp Asp Asp Trp Ile Ile  
1 5 10 15

Ala Pro Val Asp Phe Asp Ala Tyr Tyr Cys Ser Gly Ala Cys Gln Phe  
20 25 30

Pro Ser Ala Asp His Phe Asn Ser Thr Asn His Ala Val Val Gln Thr  
35 40 45

Leu Val Asn Asn Met Asn Pro Gly Lys Val Pro Lys Pro Cys Cys Val  
50 55 60

Pro Thr Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu Asp Glu Asn Ser  
65 70 75 80

Thr Val Val Leu Lys Asn Tyr Gln Glu Met Thr Val Val Gly Cys Gly  
85 90 95

Cys Arg

<210> 14  
<211> 98  
<212> PRT  
<213> Artificial Sequence

<220>

<223> COP3

<400> 14

Leu Tyr Val Asp Phe Gln Arg Asp Val Gly Trp Asp Asp Trp Ile Val  
1 5 10 15

Ala Pro Pro Gly Tyr Gln Ala Phe Tyr Cys Ser Gly Ala Cys Gln Phe  
20 25 30

Pro Ser Ala Asp His Phe Asn Ser Thr Asn His Ala Val Val Gln Thr  
35 40 45

Leu Val Asn Asn Met Asn Pro Gly Lys Val Pro Lys Pro Cys Cys Val  
50 55 60

Pro Thr Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu Asp Glu Asn Glu  
65 70 75 80

Lys Val Val Leu Lys Asn Tyr Gln Glu Met Val Val Glu Gly Cys Gly  
85 90 95

Cys Arg

<210> 15

<211> 97

<212> PRT

<213> Artificial Sequence

<220>

<223> COP4

<400> 15

Leu Tyr Val Asp Phe Ser Asp Val Gly Trp Asp Asp Trp Ile Val Ala  
1 5 10 15

Pro Pro Gly Tyr Gln Ala Phe Tyr Cys Ser Gly Ala Cys Gln Phe Pro  
20 25 30

Ser Ala Asp His Phe Asn Ser Thr Asn His Ala Val Val Gln Thr Leu  
35 40 45

Val Asn Asn Met Asn Pro Gly Lys Val Pro Lys Pro Cys Cys Val Pro  
50 55 60

Thr Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu Asp Glu Asn Glu Lys  
65 70 75 80

Val Val Leu Lys Asn Tyr Gln Glu Met Val Val Glu Gly Cys Gly Cys  
85 90 95

Arg

<210> 16  
<211> 97  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> COP16

<400> 16

Leu Tyr Val Asp Phe Ser Asp Val Gly Trp Asp Asp Trp Ile Val Ala  
1 5 10 15

Pro Pro Gly Tyr Gln Ala Phe Tyr Cys Ser Gly Ala Cys Gln Phe Pro  
20 25 30

Ser Ala Asp His Phe Asn Ser Thr Asn His Ala Val Val Gln Thr Leu  
35 40 45

Val Asn Asn Met Asn Pro Gly Lys Val Pro Lys Pro Cys Cys val pro  
50 55 60

Thr Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu Asp Glu Asn Glu Lys  
65 70 75 80

Val Val Leu Lys Asn Tyr Gln Glu Met Val Val Glu Gly Cys Gly Cys  
85 90 95

Arg

<210> 17  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<400> 17

Ser Phe Asp Ala Tyr Tyr Cys Ser Gly Ala Cys Gln Phe Pro Met Pro  
1 5 10 15

Lys

<210> 18  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide sequence

<400> 18

Ser Leu Lys Pro Ser Asn Tyr Ala Thr Ile Gln Ser Ile Val  
1 5 10

<210> 19  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<400> 19

Ala Cys Cys Val Pro Thr Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu  
1 5 10 15

Asp Glu Asn Glu Lys  
20

<210> 20  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<400> 20

Met Ser Ser Leu Ser Ile Leu Phe Phe Asp Glu Asn Lys  
1 5 10

<210> 21  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<400> 21

Ser Gln Glu Leu Tyr Val Asp Phe Gln Arg  
1 5 10

<210> 22

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide fragment

<400> 22

Phe Leu His Cys Gln Phe Ser Glu Arg Asn Ser  
1 5 10

<210> 23

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide fragment

<400> 23

Thr Val Gly Gln Leu Asn Glu Gln Ser Ser Glu Pro Asn Ile Tyr  
1 5 10 15

<210> 24

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide fragment

<400> 24

Leu Tyr Asp Pro Met Val Val  
1 5

<210> 25

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide fragment

<400> 25

Val Gly Val Val Pro Gly Ile Pro Glu Pro Cys Cys Val Pro Glu  
1 5 10 15



<210> 26  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<400> 26

Val Asp Phe Ala Asp Ile Gly  
1 5

<210> 27  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<400> 27

Val Pro Lys Pro Cys Cys Ala Pro Thr  
1 5

<210> 28  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<400> 28

Ile Asn Ile Ala Asn Tyr Leu  
1 5

<210> 29  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<400> 29

Asp Asn His Val Leu Thr Met Phe Pro Ile Ala Ile Asn  
1 5 10

<210> 30  
<211> 16

<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> wherein Xaa at position 15 is any amino acid

<400> 30

Asp Glu Gln Thr Leu Lys Lys Ala Arg Arg Lys Gln Trp Ile Xaa Pro  
1 5 10 15

<210> 31  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> wherein Xaa at position 4 can be any amino acid

<220>  
<221> misc\_feature  
<222> (10)..(10)  
<223> wherein Xaa at position 10 can be any amino acid

<400> 31

Asp Ile Gly Xaa Ser Glu Trp Ile Ile Xaa Pro  
1 5 10

<210> 32  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<220>  
<221> misc\_feature  
<222> (15)..(16)  
<223> wherein Xaa at positions 15 and 16 is any amino acid

<400> 32

Ser Ile Val Arg Ala Val Gly Val Pro Gly Ile Pro Glu Pro Xaa Xaa

1 5 10 15

Val

<210> 33  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<220>  
<221> misc\_feature  
<222> (2)..(2)  
<223> wherein Xaa at position 2 is any amino acid

<400> 33

Asp Xaa Ile Val Ala Pro Pro Gln Tyr His Ala Phe Tyr  
1 5 10

<210> 34  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<400> 34

Asp Glu Asn Lys Asn Val Val Leu Lys Val Tyr Pro Asn Met Thr Val  
1 5 10 15

Glu

<210> 35  
<211> 18  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> peptide fragment

<220>  
<221> misc\_feature  
<222> (13)..(13)  
<223> wherein Xaa at position 13 is any amino acid

<220>

<221> misc\_feature  
 <222> (16)..(16)  
 <223> wherein Xaa at position 16 is any amino acid  
 <400> 35  
 Ser Gln Thr Leu Gln Phe Asp Glu Gln Thr Leu Lys Xaa Ala Arg Xaa  
 1 5 10 15

Lys Gln

<210> 36  
 <211> 24  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> peptide fragment

<220>  
 <221> misc\_feature  
 <222> (19)..(19)  
 <223> wherein Xaa at position 19 is any amino acid

<400> 36  
 Asp Glu Gln Thr Leu Lys Lys Ala Arg Arg Lys Gln Trp Ile Glu Pro  
 1 5 10 15

Arg Asn Xaa Ala Arg Arg Tyr Leu  
 20

<210> 37  
 <211> 20  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> peptide fragment

<220>  
 <221> misc\_feature  
 <222> (12)..(12)  
 <223> wherein Xaa at positions 12 is any amino acid

<220>  
 <221> misc\_feature  
 <222> (14)..(14)  
 <223> wherein Xaa at position 14 is any amino acid

<220>  
 <221> misc\_feature  
 <222> (17)..(18)

<223> wherein Xaa at positions 17-18 is any amino acid

<400> 37

Ala Arg Arg Lys Gln Trp Ile Glu Pro Arg Asn Xaa Ala Xaa Arg Tyr  
1 5 10 15

Xaa Xaa Val Asp  
20

<210> 38

<211> 23

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide fragment

<220>

<221> misc\_feature

<223> wherein Xaa at positions 2, 8, 10, 12, 13, 19, 21 and 22 is any amino acid

<220>

<221> misc\_feature

<222> (2)..(2)

<223> wherein Xaa at position 2 is any amino acid

<220>

<221> misc\_feature

<222> (8)..(8)

<223> wherein Xaa at position 8 is any amino acid

<220>

<221> misc\_feature

<222> (10)..(10)

<223> wherein Xaa at position 10 is any amino acid

<220>

<221> misc\_feature

<222> (12)..(13)

<223> wherein Xaa at positions 12-13 is any amino acid

<220>

<221> misc\_feature

<222> (19)..(19)

<223> wherein Xaa at position 19 is any amino acid

<220>

<221> misc\_feature

<222> (21)..(22)

<223> wherein Xaa at positions 21-22 is any amino acid

<400> 38

Arg Xaa Gln Trp Ile Glu Pro Xaa Asn Xaa Ala Xaa Xaa Tyr Leu Lys  
1 5 10 15

Val Asp Xaa Ala Xaa Xaa Gly  
20

<210> 39  
<211> 97  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> OP1 shorter sequence

<400> 39

Leu Tyr Val Ser Phe Arg Asp Leu Gly Trp Gln Asp Trp Ile Ile Ala  
1 5 10 15

Pro Glu Gly Tyr Ala Ala Tyr Tyr Cys Glu Gly Glu Cys Ala Phe Pro  
20 25 30

Leu Asn Ser Tyr Met Asn Ala Thr Asn His Ala Ile Val Gln Thr Leu  
35 40 45

Val His Phe Ile Asn Pro Glu Thr Val Pro Lys Pro Cys Cys Ala Pro  
50 55 60

Thr Gln Leu Asn Ala Ile Ser Val Leu Tyr Phe Asp Asp Ser Ser Asn  
65 70 75 80

Val Ile Leu Lys Lys Tyr Arg Asn Met Val Val Arg Ala Cys Gly Cys  
85 90 95

His

<210> 40  
<211> 4805  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> genomic sequence of OP1

<220>  
<221> misc\_feature  
<223> approximately 1000 bases are missing between position 1883 and  
1884

<400> 40  
ggagggtatag gagctctctt cgattttagc aaaccaggag tccgaagatc taaggagagc 60

tgggggtttg	actccgagag	ctcgagcagt	ccccaagacc	tggctctgac	tcacgagtta	120
gactccactc	agaggctgac	tgtctccagg	gtctacacct	ctaagggcga	cactgggctc	180
aagcagactg	ccgtttttcta	tatgggatga	gccttcacag	ggcagccagt	tgggatgggt	240
tgaggtttgg	ctgtagacat	cagaaacca	agtcaaatgc	gcttcaacca	gtagaaaatt	300
caccagcccc	cagagctaag	gttgggtgga	cattaggggt	ggttgatcca	ggagctcaac	360
agtgtcctct	gagccccagc	tccttctgcc	ccacccacc	atcttcagt	ctgcttcctc	420
tcaaggccac	agctgtagtt	ggccaggggg	gcttcattat	tttttgcctc	tgggcagtag	480
gaggaagaga	atgaatgtct	ctccatgggt	ctttcttagg	aatgtgggaa	ctttttccag	540
aagtctctat	gtcttttagt	ttgtgttggg	tcacttgccc	ttcctgaacc	acttcctgac	600
tcctggacag	gatgtgcact	gatgagctta	gctttgggga	tctaatagtg	actttacaaa	660
gcctctttga	gaagggtgaca	ttggaaccaa	ggcttgagca	gacacaacaa	agattgcagg	720
gaggggcatt	gcaggtggag	gaaacggcac	atgcaagagc	cctgcgtggg	agtgcgttg	780
gtgtttggtc	aatcagttgt	cagagcacac	cgggccctgt	cagcaggcac	agcctgggcc	840
tgctctgagt	atgacagaga	gcccctggga	agttgtaggt	ggaggaaaga	caggtcatga	900
ctaggaaaaa	agcaatccct	ctgttggtgg	gtggaaggaa	ggttgacagt	tgtgtgagag	960
agagacaaga	cagacagaca	gacacttctc	aatgtttaca	agtgtcagag	ccctgacccg	1020
aatgcttcca	aatttacgta	gttctggaaa	acccctgtga	tcattttcac	tactcaaaga	1080
aacctcggga	gtgttttctt	ctgaaaggtc	atcaggtttt	gactctctgc	tgtctcattt	1140
cttcttgctg	gtgggtggtga	tgggtgcttg	tcccaggccc	tgtcccgcat	cctcttgccc	1200
ctgcagaggg	atgagtgtgt	tggggcctca	cgagttgagg	ttgttcataa	gcagatctct	1260
ttgagcaggg	cgctgcagt	ggccttggtg	gaggctggag	gggtttcgat	tcccttatgg	1320
aatccaggca	gatgtagcat	ttaaacaaca	cacgtgtata	aaagaaacca	gtgtccgcag	1380
aaggttccag	aaagtattat	gggataagac	tacatgagag	aggaatgggg	cattggcacc	1440
tcccttagta	gggcctttgc	tgggggtaga	aatgagtttt	aaggcagggt	agaccctcga	1500
actggctttt	gaatcgggaa	atttaccccc	cagccgttct	gtgcttcatt	gctgttcaca	1560
tcactgccta	agatggagga	actttgatgt	gtgtgtgttt	ctttctcctc	actgggctct	1620
gcttcttcac	ttccttgctc	atgcagagaa	cagcagcagg	caccagaggc	aggccttgta	1680
agaagcacga	gctgtatgtc	agcttccgag	acctgggctg	gcaggtaagg	ggctggctgg	1740
gtctgtcttg	ggtgtgggcc	ctctggcgtg	ggctcccaca	ggcagcgggt	gctgtgctca	1800
gtcttggttc	tcactctctgc	cagttaagac	tccagtatca	agtggcctcg	ctaggaaggg	1860

gtacttggct aaggatacag gggggagcca gcatgggtga tgccattatg agttattagc	1920
ctctctggca ggtgggcaaa ccgaggcatg gaggtttgtt taaggagaac tgccagtgtg	1980
tgaccaccta gtggggtaga gctgatgatt gcctcacacc ggagctcctt cctgtgccgc	2040
gttctgtcca gaagacacag ccatggatgt ccatttttagg atcagccaag ccccgctcttg	2100
tccttcattt ttatttttatg tttttttaga aatgggggtct tgctctgtca cccaggctgg	2160
gtgcagtggg gtgatcatag ctcaccgcag ctttgacgcc qtcttcccac tcagtctact	2220
aagcttggac tataggccaa gactatagag tggtccttct ttccattctt ttgggaccat	2280
gagaggccac ccatgtttcc tgcccctgct gggccctgct gctcagaagg catgggtctga	2340
ggctttcacc ttgggtcgtga gccttcgtgg tggtttcttt cagcatgggg ttgggatgct	2400
gtgctcaggc ttctgcatgg tttcccacac tctcttctcc tcctcaggac tggatcatcg	2460
cgcctgaagg ctacgcgcgc tactactgtg agggggagtg tgccttcctt ctgaactcct	2520
acatgaacgc caccaaccac gccatcgtgc agacgctggt ggggtgcacg ccatcttggg	2580
gtgtggtcac ctgggccggg caggctgcgg ggccaccaga tcctgctgcc tccaagctgg	2640
ggcctgagta gatgtcagcc cattgccatg tcatgacttt tgggggcccc ttgcgccgtt	2700
aaaaaaaaat caaaaattgt actttatgac tggtttggtg taaagaggag tataatcttc	2760
gaccttggag ttcatattatt tctcctaatt tttaaagtaa ctaaaagttg tatgggctcc	2820
tttgaggatg cttgtagtat tgtgggtgct gggtacggtg cctaagagca ctgggcccct	2880
gcttcatttt ccagtagagg aaacaggtaa acagatgaga aatttcagtg aggggcacag	2940
tgatcagaag cgggccagca ggataatggg atggagagat gagtggggac ccatgggcca	3000
tttcaagtta aatttcagtc gggtcaccag gaagattcca tgtgataatg agattaacgt	3060
gccagtcac ggcgacactc agtaggtgtt attcctgctc tgccaacagc aaccatagtt	3120
gataagagct gttagggatt ttgtcctttt gcttagaatc caaggttcaa ggaccttggg	3180
tatgtagctc cctgtcatga acatcatctg agcctttcct gcctactgat catccaccct	3240
gccttgaatg cttctagtga cagagagctc actaccagga ctactccctc ctttcattta	3300
gtaatctgcc tccttctttt cttgtccctg tcctgtgtgt taagtcctgg agaaaaatct	3360
catctatccc tttcatttga ttctgctctt tgagggcagg ggtttttgtt tctttgtttg	3420
tttttttaag tgttggtttt ccaaagccct tgctcccctc ctcaattgaa acttcaaagc	3480
cctcattggg attgaaggtc cttaggctgg aaacagaaga gtccctccca acctgttccc	3540
tggcctggat gtgctgtgct gtgccagtat cccctggaag gtgccaggca tgtctccccg	3600
gctgccaggg gacacatctc tatccttctc caaccctgc cttcatggcc catggaacag	3660



gagtgccatc gccctgtgtg cacctacttc catcagtatt tcaccagaga tctgcaggat	3720
caaagtgaat tctccagggg ttgtgaaatg atgcgattgt ggtcatgttt aaaagggggc	3780
aactgtcttc tagagagtcc tgatgaaatg cttccagagg aaatgagctg atggctggaa	3840
tttgctttaa aatcattcaa ggtggagcag gtggggaagg gtatggatgt gtaagagttt	3900
gaaattgtcc atcataaaat gtgtaaaaag catgctggcc tatgtcagca gtcacagcct	3960
ggaggtggta acagagtgcc agtcactgat gctcaagcct ggcacctaca gttgctggaa	4020
accagaagt ttcacgttga aaacaacagg acagtggaaat ctctggccct gtcttgaaca	4080
cgtggcagat ctgctaacac tgatcttggt tggctgccgt cagcttaggt tgagtggcgg	4140
tcttccctta gtttgcttag tccccgctat tccctattgt cttacctcgg tctattttgc	4200
ttatcagtgg acctcacgag gcactcatag gcatttgagt ctatgtgtcc ctgtcccaca	4260
tcctctgtaa ggtgcagaga agtccatgag caagatggag cacttctagt ggggtccaagt	4320
cagggacact attcagcaat ctacagtgc cagggcagtt ccccaacaga gaattacctg	4380
gtcctgaatg tcggatctgg ccccttcctt cccactgta taatgtgaaa acctctatgc	4440
tttgttcccc ttgtctgcaa aacagggata atcccagaac tgagttgtcc atgtaaagtg	4500
cttagaacag ggagtgttg gcttggggag tgtcacctgc agtcattcat tatgcccaga	4560
caggatgttt ctttatagaa acgtggaggc cagttagaac gactcaccgc ttctcaccac	4620
tgcccatgtt ttggtgtgtg tttcagggtcc acttcatcaa cccggaaacg gtgcccgaagc	4680
cctgctgtgc gccacgcag ctcaatgcca tctccgtcct ctacttcgat gacagctcca	4740
acgtcatcct gaagaaatac agaaacatgg tgggtccgggc ctgtggctgc cactagctcc	4800
tccga	4805

<210> 41  
 <211> 314  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> consensus probe

<400> 41	
gacctaattg ggctgtacgt ggacttccag cgcgacgtgg gctgggacga ctggatcatc	60
gccccgtcg acttcgacgc ctactactgc tccggagcct gccagttccc ctctgcggat	120
cacttcaaca gcaccaacca cgccgtggtg cagaccctgg tgaacaacat gaacccggc	180
aaggtaccca agccctgctg cgtgccacc gagctgtccg ccatcagcat gctgtacctg	240
gacgagaatt ccaccgtggt gctgaagaac taccaggaga tgaccgtggt gggctgcggc	300

tgccgctaac tgca 314

<210> 42  
<211> 314  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> OP1

<400> 42  
tgtaagaagc acgagctgta tgtcagcttc cgagacctgg gctggcagga ctggatcatc 60  
gcgcctgaag gctacgcgcg ctactactgt gagggggagt gtgccttccc tctgaactcc 120  
tacatgaacg ccaccaacca cgccatcgtg cagacgctgg tccacttcat caaccggaa 180  
acgggtgcca agccctgctg tgcgcccacg cagctcaatg ccatctccgt cctctacttc 240  
gatgacagct ccaacgtcat cctgaagaaa tacagaaaca tgggtgggccg ggccctgtggc 300  
tgccactagc tcct 314

<210> 43  
<211> 315  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Figure 13

<220>  
<221> CDS  
<222> (1)..(306)

<400> 43  
gat cct aat ggg ctg tac gtg gac ttc cag cgc gac gtg ggc tgg gac 48  
Asp Pro Asn Gly Leu Tyr Val Asp Phe Gln Arg Asp Val Gly Trp Asp  
1 5 10 15  
gac tgg atc atc gcc ccc gtc gac ttc gac gcc tac tac tgc tcc gga 96  
Asp Trp Ile Ile Ala Pro Val Asp Phe Asp Ala Tyr Tyr Cys Ser Gly  
20 25 30  
gcc tgc cag ttc ccc tct gcg gat cac ttc aac agc acc aac cac gcc 144  
Ala Cys Gln Phe Pro Ser Ala Asp His Phe Asn Ser Thr Asn His Ala  
35 40 45  
gtg gtg cag acc ctg gtg aac aac atg aac ccc ggc aag gta ccc aag 192  
Val Val Gln Thr Leu Val Asn Asn Met Asn Pro Gly Lys Val Pro Lys  
50 55 60  
ccc tgc tgc gtg ccc acc gag ctg tcc gcc atc agc atg ctg tac ctg 240  
Pro Cys Cys Val Pro Thr Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu  
65 70 75 80

gac gag aat tcc acc gtg gtg ctg aag aac tac cag gag atg acc gtg 288  
 Asp Glu Asn Ser Thr Val Val Leu Lys Asn Tyr Gln Glu Met Thr Val  
                   85                  90                  95

gtg ggc tgc ggc tgc cgc taactgcag 315  
 Val Gly Cys Gly Cys Arg  
                   100

<210> 44  
 <211> 102  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Construct

<400> 44

Asp Pro Asn Gly Leu Tyr Val Asp Phe Gln Arg Asp Val Gly Trp Asp  
 1                  5                  10                  15

Asp Trp Ile Ile Ala Pro Val Asp Phe Asp Ala Tyr Tyr Cys Ser Gly  
                   20                  25                  30

Ala Cys Gln Phe Pro Ser Ala Asp His Phe Asn Ser Thr Asn His Ala  
                   35                  40                  45

Val Val Gln Thr Leu Val Asn Asn Met Asn Pro Gly Lys Val Pro Lys  
                   50                  55                  60

Pro Cys Cys Val Pro Thr Glu Leu Ser Ala Ile Ser Met Leu Tyr Leu  
 65                  70                  75                  80

Asp Glu Asn Ser Thr Val Val Leu Lys Asn Tyr Gln Glu Met Thr Val  
                   85                  90                  95

Val Gly Cys Gly Cys Arg  
                   100

<210> 45  
 <211> 4  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Hinge region

<400> 45

Asp Pro Asn Gly  
 1

<210> 46  
<211> 106  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> beta-inhibin-a

<400> 46

Cys Cys Lys Lys Gln Phe Phe Val Ser Phe Lys Asp Ile Gly Trp Asn  
1 5 10 15

Asp Trp Ile Ile Ala Pro Ser Gly Tyr His Ala Asn Tyr Cys Glu Gly  
20 25 30

Glu Cys Pro Ser His Ile Ala Gly Thr Ser Gly Ser Ser Leu Ser Phe  
35 40 45

His Ser Thr Val Ile Asn His Tyr Arg Met Arg Gly His Ser Pro Phe  
50 55 60

Ala Asn Leu Lys Ser Cys Cys Val Pro Thr Lys Leu Arg Pro Met Ser  
65 70 75 80

Met Leu Tyr Tyr Asp Asp Gly Gln Asn Ile Ile Lys Lys Asp Ile Gln  
85 90 95

Asn Met Ile Val Glu Glu Cys Gly Cys Ser  
100 105

<210> 47  
<211> 105  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> beta-inhibin-b

<400> 47

Cys Cys Arg Gln Gln Phe Phe Ile Asp Phe Arg Ile Gly Trp Asn Asp  
1 5 10 15

Trp Ile Ile Ala Pro Thr Gly Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser  
20 25 30

Cys Pro Ala Tyr Leu Ala Gly Val Pro Gly Ser Ala Ser Ser Phe His  
35 40 45

Thr Ala Val Val Asn Gln Tyr Arg Met Arg Gly Leu Asn Pro Gly Thr  
50 55 60

Lys Val Asn Ser Cys Cys Ile Pro Thr Lys Leu Ser Thr Met Ser Met  
65 70 75 80

Leu Tyr Phe Asp Asp Glu Tyr Asn Ile Val Lys Arg Asp Val Pro Asn  
85 90 95

Met Ile Val Glu Glu Cys Gly Cys Ala  
100 105

<210> 48

<211> 99

<212> PRT

<213> Artificial Sequence

<220>

<223> TGF-beta-1

<400> 48

Cys Cys Val Arg Gln Leu Tyr Ile Asp Phe Arg Lys Asp Leu Gly Trp  
1 5 10 15

Lys Trp Ile His Glu Pro Lys Gly Tyr His Ala Asn Phe Cys Leu Gly  
20 25 30

Pro Cys Pro Tyr Ile Trp Ser Leu Leu Asp Thr Gln Tyr Ser Lys Val  
35 40 45

Leu Ala Leu Tyr Asn Gln His Asn Pro Gly Ala Ser Ala Ala Pro Cys  
50 55 60

Cys Val Pro Gln Ala Leu Glu Pro Leu Pro Ile Val Tyr Tyr Val Gly  
65 70 75 80

Arg Lys Pro Lys Val Glu Gln Leu Ser Asn Met Ile Val Arg Ser Cys  
85 90 95

Lys Cys Ser

<210> 49

<211> 99

<212> PRT

<213> Artificial Sequence

<220>

<223> TGF-beta-2

<400> 49

Cys Cys Leu Arg Pro Leu Tyr Ile Asp Phe Lys Arg Asp Leu Gly Trp  
1 5 10 15

Lys Trp Ile His Glu Pro Lys Gly Tyr Asn Ala Asn Phe Cys Ala Gly  
20 25 30

Ala Cys Pro Tyr Leu Trp Ser Leu Ser Asp Thr Gln His Ser Arg Val  
35 40 45

Leu Ser Leu Tyr Asn Thr Ile Asn Pro Glu Ala Ser Ala Ser Pro Cys  
50 55 60

Cys Val Ser Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Ile Gly  
65 70 75 80

Lys Thr Pro Lys Ile Glu Gln Leu Ser Asn Met Ile Val Lys Ser Cys  
85 90 95

Lys Cys Ser

<210> 50

<211> 99

<212> PRT

<213> Artificial Sequence

<220>

<223> TGF-beta-3

<400> 50

Cys Cys Val Arg Pro Leu Tyr Ile Asp Phe Arg Gln Asp Leu Gly Trp  
1 5 10 15

Lys Trp Val His Glu Pro Lys Gly Tyr Tyr Ala Asn Phe Cys Ser Gly  
20 25 30

Pro Cys Pro Tyr Leu Arg Ser Leu Ala Asp Thr Thr His Ser Thr Val  
35 40 45

Leu Gly Leu Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys  
50 55 60

Cys Val Pro Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly

65	70	75	80
Arg Thr Pro Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys			
85	90	95	

Lys Cys Ser

<210> 51  
 <211> 99  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> MIS

<400> 51

Cys Ala Leu Arg Glu Leu Ser Val Asp Leu Arg Ala Glu Arg Ser Val
1 5 10 15

Leu Ile Pro Glu Thr Tyr Gln Ala Asn Asn Cys Gln Gly Val Cys Gly
20 25 30

Trp Pro Gln Ser Asp Arg Asn Pro Arg Tyr Gly Asn His Val Val Leu
35 40 45

Leu Leu Lys Met Gln Ala Arg Gly Ala Ala Leu Ala Arg Pro Pro Cys
50 55 60

Cys Val Pro Thr Ala Tyr Ala Gly Lys Leu Leu Ile Ser Leu Ser Glu
65 70 75 80

Glu Arg Ile Ser Ala His His Val Pro Asn Met Val Ala Thr Glu Cys
85 90 95

Gly Cys Arg

<210> 52  
 <211> 103  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Alpha-inhibin

<220>  
 <221> misc\_feature

<222> (93)..(93)  
 <223> wherein Xaa at position 93 is a threonine, a valine or a proline

<400> 52

Cys His Arg Val Ala Leu Asn Ile Ser Phe Gln Glu Leu Gly Trp Glu  
 1 5 10 15

Arg Trp Ile Val Tyr Pro Pro Ser Phe Ile Phe His Tyr Cys His Gly  
 20 25 30

Gly Cys Gly Leu His Ile Pro Pro Asn Leu Ser Leu Pro Val Pro Gly  
 35 40 45

Ala Pro Pro Thr Pro Ala Gln Pro Tyr Ser Leu Leu Pro Gly Ala Gln  
 50 55 60

Pro Cys Cys Ala Ala Leu Pro Gly Thr Met Arg Pro Leu His Val Arg  
 65 70 75 80

Thr Thr Ser Asp Gly Gly Tyr Ser Phe Lys Tyr Glu Xaa Asn Leu Leu  
 85 90 95

Thr Gln His Cys Ala Cys Ile  
 100

<210> 53  
 <211> 861  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> COP-5 fusion protein

<220>  
 <221> CDS  
 <222> (1)..(852)

<400> 53  
 atg aaa gca att ttc gta ctg aaa ggt tca ctg gac aga gat ctg gac 48  
 Met Lys Ala Ile Phe Val Leu Lys Gly Ser Leu Asp Arg Asp Leu Asp  
 1 5 10 15  
 tct cgt ctg gat ctg gac gtt cgt acc gac cac aaa gac ctg tct gat 96  
 Ser Arg Leu Asp Leu Asp Val Arg Thr Asp His Lys Asp Leu Ser Asp  
 20 25 30  
 cac ctg gtt ctg gtc gac ctg gct cgt aac gac ctg gct cgt atc gtt 144  
 His Leu Val Leu Val Asp Leu Ala Arg Asn Asp Leu Ala Arg Ile Val  
 35 40 45  
 act ccc ggg tct cgt tac gtt gcg gat ctg gaa ttc atg gct gac aac 192



Thr	Pro	Gly	Ser	Arg	Tyr	Val	Ala	Asp	Leu	Glu	Phe	Met	Ala	Asp	Asn	
50						55					60					
aaa	ttc	aac	aag	gaa	cag	cag	aac	gcg	ttc	tac	gag	atc	ttg	cac	ctg	240
Lys	Phe	Asn	Lys	Glu	Gln	Gln	Asn	Ala	Phe	Tyr	Glu	Ile	Leu	His	Leu	
65				70					75						80	
ccg	aac	ctg	aac	gaa	gag	cag	cgt	aac	ggc	ttc	atc	caa	agc	ttg	aag	288
Pro	Asn	Leu	Asn	Glu	Glu	Gln	Arg	Asn	Gly	Phe	Ile	Gln	Ser	Leu	Lys	
				85					90					95		
gat	gag	ccc	tct	cag	tct	gcg	aat	ctg	cta	gcg	gat	gcc	aag	aaa	ctg	336
Asp	Glu	Pro	Ser	Gln	Ser	Ala	Asn	Leu	Leu	Ala	Asp	Ala	Lys	Lys	Leu	
			100					105						110		
aac	gat	gcg	cag	gca	ccg	aaa	tcg	gat	cag	ggg	caa	ttc	atg	gct	gac	384
Asn	Asp	Ala	Gln	Ala	Pro	Lys	Ser	Asp	Gln	Gly	Gln	Phe	Met	Ala	Asp	
		115					120					125				
aac	aaa	ttc	aac	aag	gaa	cag	cag	aac	gcg	ttc	tac	gag	atc	ttg	cac	432
Asn	Lys	Phe	Asn	Lys	Glu	Gln	Gln	Asn	Ala	Phe	Tyr	Glu	Ile	Leu	His	
	130					135					140					
ctg	ccg	aac	ctg	aac	gaa	gag	cag	cgt	aac	ggc	ttc	atc	caa	agc	ttg	480
Leu	Pro	Asn	Leu	Asn	Glu	Glu	Gln	Arg	Asn	Gly	Phe	Ile	Gln	Ser	Leu	
145					150					155					160	
aag	gat	gag	ccc	tct	cag	tct	gcg	aat	ctg	cta	gcg	gat	gcc	aag	aaa	528
Lys	Asp	Glu	Pro	Ser	Gln	Ser	Ala	Asn	Leu	Leu	Ala	Asp	Ala	Lys	Lys	
				165					170					175		
ctg	aac	gat	gcg	cag	gca	ccg	aaq	gat	cct	aat	ggg	ctg	tac	gtc	gac	576
Leu	Asn	Asp	Ala	Gln	Ala	Pro	Lys	Asp	Pro	Asn	Gly	Leu	Tyr	Val	Asp	
			180					185					190			
ttc	agc	gac	gtg	ggc	tgg	gac	gac	tgg	att	gtg	gcc	cca	cca	ggc	tac	624
Phe	Ser	Asp	Val	Gly	Trp	Asp	Asp	Trp	Ile	Val	Ala	Pro	Pro	Gly	Tyr	
		195					200					205				
cag	gcc	ttc	tac	tgc	cat	ggc	gaa	tgc	cct	ttc	ccg	cta	gcg	gat	cac	672
Gln	Ala	Phe	Tyr	Cys	His	Gly	Glu	Cys	Pro	Phe	Pro	Leu	Ala	Asp	His	
	210					215					220					
ttc	aac	agc	acc	aac	cac	gcc	gtg	gtg	cag	acc	ctg	gtg	aac	tct	gtc	720
Phe	Asn	Ser	Thr	Asn	His	Ala	Val	Val	Gln	Thr	Leu	Val	Asn	Ser	Val	
225				230					235						240	
aac	tcc	aag	atc	cct	aag	gct	tgc	tgc	gtg	ccc	acc	gag	ctg	tcc	gcc	768
Asn	Ser	Lys	Ile	Pro	Lys	Ala	Cys	Cys	Val	Pro	Thr	Glu	Leu	Ser	Ala	
				245					250					255		
atc	agc	atg	ctg	tac	ctg	gac	gag	aat	gag	aag	gtg	gtg	ctg	aag	aac	816
Ile	Ser	Met	Leu	Tyr	Leu	Asp	Glu	Asn	Glu	Lys	Val	Val	Leu	Lys	Asn	
			260					265					270			
tac	cag	gag	atg	gta	gta	gag	ggc	tgc	ggc	tgc	cgc	taactgcag				861
Tyr	Gln	Glu	Met	Val	Val	Glu	Gly	Cys	Gly	Cys	Arg					
		275					280									

<210> 54  
<211> 284  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic Construct

<400> 54

Met Lys Ala Ile Phe Val Leu Lys Gly Ser Leu Asp Arg Asp Leu Asp  
1 5 10 15

Ser Arg Leu Asp Leu Asp Val Arg Thr Asp His Lys Asp Leu Ser Asp  
20 25 30

His Leu Val Leu Val Asp Leu Ala Arg Asn Asp Leu Ala Arg Ile Val  
35 40 45

Thr Pro Gly Ser Arg Tyr Val Ala Asp Leu Glu Phe Met Ala Asp Asn  
50 55 60

Lys Phe Asn Lys Glu Gln Gln Asn Ala Phe Tyr Glu Ile Leu His Leu  
65 70 75 80

Pro Asn Leu Asn Glu Glu Gln Arg Asn Gly Phe Ile Gln Ser Leu Lys  
85 90 95

Asp Glu Pro Ser Gln Ser Ala Asn Leu Leu Ala Asp Ala Lys Lys Leu  
100 105 110

Asn Asp Ala Gln Ala Pro Lys Ser Asp Gln Gly Gln Phe Met Ala Asp  
115 120 125

Asn Lys Phe Asn Lys Glu Gln Gln Asn Ala Phe Tyr Glu Ile Leu His  
130 135 140

Leu Pro Asn Leu Asn Glu Glu Gln Arg Asn Gly Phe Ile Gln Ser Leu  
145 150 155 160

Lys Asp Glu Pro Ser Gln Ser Ala Asn Leu Leu Ala Asp Ala Lys Lys  
165 170 175

Leu Asn Asp Ala Gln Ala Pro Lys Asp Pro Asn Gly Leu Tyr Val Asp  
180 185 190

Phe Ser Asp Val Gly Trp Asp Asp Trp Ile Val Ala Pro Pro Gly Tyr  
195 200 205

Gln Ala Phe Tyr Cys His Gly Glu Cys Pro Phe Pro Leu Ala Asp His  
210 215 220

Phe Asn Ser Thr Asn His Ala Val Val Gln Thr Leu Val Asn Ser Val  
225 230 235 240

Asn Ser Lys Ile Pro Lys Ala Cys Cys Val Pro Thr Glu Leu Ser Ala  
245 250 255

Ile Ser Met Leu Tyr Leu Asp Glu Asn Glu Lys Val Val Leu Lys Asn  
260 265 270

Tyr Gln Glu Met Val Val Glu Gly Cys Gly Cys Arg  
275 280

<210> 55  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> BOP  
<400> 55

Ser Phe Asp Ala Tyr Tyr Cys Ser Gly Ala Cys Gln Phe Pro Ser  
1 5 10 15

<210> 56  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> DPP  
<400> 56

Gly Tyr Asp Ala Tyr Tyr Cys His Gly Lys Cys Pro Phe Phe Leu  
1 5 10 15

<210> 57  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Vg1  
<400> 57

Gly Tyr Met Ala Asn Tyr Cys Tyr Gly Glu Cys Pro Tyr Pro Leu  
1 5 10 15

<210> 58  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> inhibin

<400> 58

Gly Tyr His Ala Asn Tyr Cys Glu Gly Glu Cys Pro Ser His Ile  
1 5 10 15

<210> 59  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> TGF-beta

<400> 59

Gly Tyr His Ala Asn Phe Cys Leu Gly Pro Cys Pro Tyr Ile Trp  
1 5 10 15

<210> 60  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> BOP

<400> 60

Lys Arg Ala Cys Cys Val Pro Thr Glu Leu Ser Ala Ile Ser Met Leu  
1 5 10 15

Tyr Leu Asp Glu Asn  
20

<210> 61  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Vgl

<400> 61

Leu Pro Cys Cys Val Pro Thr Lys Met Ser Pro Ile Ser Met Leu Phe  
1 5 10 15

Tyr Asp Asn Asn  
20

<210> 62  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> inhibin

<400> 62

Lys Ser Cys Cys Val Pro Thr Lys Leu Arg Pro Met Ser Met Leu Tyr  
1 5 10 15

Tyr Asp Asp Gly  
20

<210> 63  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> TGF-beta

<400> 63

Ala Pro Cys Cys Val Pro Gln Ala Leu Glu Pro Leu Pro Ile Val Tyr  
1 5 10 15

Tyr Val Gly

<210> 64  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> DPP

<400> 64

Lys Ala Cys Cys Val Pro Thr Gln Leu Asp Ser Val Ala Met Leu Tyr  
1 5 10 15

Leu Asn Asp Gln  
20

<210> 65  
<211> 5  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> BOP and DPP match sequence  
  
<400> 65

Leu Tyr Val Asp Phe  
1 5

<210> 66  
<211> 5  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Vg1  
  
<400> 66

Leu Tyr Val Asp Phe  
1 5

<210> 67  
<211> 5  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Vg1  
  
<400> 67

Leu Tyr Val Glu Phe  
1 5

<210> 68  
<211> 5  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> TGF-beta  
  
<400> 68

Leu Tyr Ile Asp Phe  
1 5

<210> 69  
<211> 5

<212> PRT  
<213> Artificial Sequence

<220>  
<223> inhibin

<400> 69

Phe Phe Val Ser Phe  
1 5

<210> 70  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> N-terminal sequence

<400> 70

Cys Lys Arg His Pro  
1 5

<210> 71  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> N-terminal sequence

<400> 71

Cys Arg Arg Lys Gln  
1 5

<210> 72  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> N-terminal sequence

<400> 72

Cys Lys Arg His Glu  
1 5